

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	18553	axis same align\$5 same mirror	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 12:29
L2	3042	(356/399-401).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/06 12:44
L3	479	L2 and 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 12:44
L4	158	coordinate near3 axis same align\$5 same mirror	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 12:44
L5	22	4 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 12:44
L15	3971564	level	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 13:35
L16	64	15 and 2 and cassette	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/06 13:36
S2	3041	(356/399-401).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/24 15:54
S3	3731176	wafer semiconductor substrate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 15:55
S4	2160	S2 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 15:55

S5	2332666	load	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 15:55
S6	119	S2 and S3 with S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 15:55
S7	8398525	hole orifice gap opening register window	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 15:58
S8	1805	S7 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 15:58
S9	28	("5340261").URPN.	USPAT	OR	ON	2008/01/25 12:01
S10	10	("5438418").URPN.	USPAT	OR	ON	2008/01/25 12:07
S11	9	("5088190" "5189363" "5412329" "5949244"). PN. OR ("6429671"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/25 13:06
S12	1	("5552892").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/25 15:25
S13	20448	cassette with load\$3	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/25 15:32
S14	1399	S13 same alignment	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/25 15:32
S15	1147	S14 and (laser light source beam)	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/25 15:33
S16	8398525	hole orifice gap opening register window	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/25 15:33
S17	1038	S15 and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/25 15:33
S18	1021	S14 and (laser light beam)	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/25 15:34
S19	1409973	wafer semiconductor substrate	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/25 15:34

S20	593	S16 and S18 and S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/25 15:34
S21	1	10/710270	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/25 15:56
S22	1	("7099009").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/25 16:15
S23	11	("20020139001" "20020197136" "20030083776" "4615615" "6034763" "6286219" "6433875" "6519502" "6541787" "6546307" "6817823"). PN. OR ("7099009"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/01 11:44
S24	0	(09/886760).APP.	USPAT; USOCR	OR	ON	2008/02/01 12:41
S26	2	((("20020197136") or ("6541787")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/05 12:32

2/6/2008 1:58:50 PM

C:\Documents and Settings\Rslomski\My Documents\EAST\Workspaces\10 710270 Positioning
with two beams and two holes.wsp